

DECLARATION OF PERFORMANCE

DoP No 14055

1. Unique identification code of the product-type:

For product number please see attached list

Product-Type, batch or serial number or any other element allowing identification of the construction product

ILL: independent low-level cistern(s)

IBI: independent built in cistern(s)

2. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Personal hygiene (PH)

3. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

LAUFEN Bathrooms AG

Postfach 432

CH - 4242 Laufen, Switzerland

Tel: +41 61 765 71 11 / e-mail: info@laufen.ch / website: www.laufen.com

4. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

not applicable

5. System or systems of assessment and verification of constancy of performance (AVCP) of the construction product as set out in Construction Products Regulation (EU) 305/2011, Annex V:

System 4

6. Harmonised standard:

EN 14055: 2010

7. Declared performance

Essential characteristics	Performance
Water-, leaktightness (WT)	Confirmed
Valve reliability (VR)	Confirmed
noise level (NL)	Confirmed
Flushing Volume (FV)	Confirmed
Durability (DA)	Confirmed

The declared performance of the product is shown in the essential characteristics and in the designation code of the attached list.

8. Appropriate Technical Documentation and/or Specific Technical Documentation:

not applicable

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer



DECLARATION OF PERFORMANCE

DoP no 14055

EUROPEAN
WATER LABEL

SUSTAINABILITY
ASSESSMENT

Product No.	Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume	Average water consumption	Designation code
H894669	LAUFEN LIS	IBI	CC-121-R-FO-2V-2L	EN 14055 - CL2 - 5.9 - NLI - VR II	WT - VR - NL - CF - DA	5.9/3	3.75	EN 16578 - S3
H894669	LAUFEN LIS	IBI	CC-121-R-FO-2V-2L	EN 14055 - CL2 - 4.5 - NLI - VR II	WT - VR - NL - CF - DA	4.5/3	3.75	EN 16578 - S3
H894669	LAUFEN LIS	IBI	CC-121-R-FO-2V-2L	EN 14055 - CL1 - 6 - NLI - VR II	WT - VR - NL - CF - DA	6/3	3.75	EN 16578 - S3
H894669	LAUFEN LIS	IBI	CC-121-R-FO-2V-2L	EN 14055 - CL1 - 5 - NLI - VR II	WT - VR - NL - CF - DA	5/3	3.75	EN 16578 - S3
H894669	LAUFEN LIS	IBI	CC-121-R-FO-2V-2L	EN 14055 - CL1 - 4.5 - NLI - VR II	WT - VR - NL - CF - DA	4.5/3	3.75	EN 16578 - S3
H894669	LAUFEN LIS	IBI	CC-121-R-FO-2V-2L	EN 14055 - CL2 - 5.9 - NLI - VR II	WT - VR - NL - CF - DA	5.9/3	3.75	EN 16578 - S3
H894669	LAUFEN LIS	IBI	CC-121-R-FO-2V-2L	EN 14055 - CL2 - 4.5 - NLI - VR II	WT - VR - NL - CF - DA	4.5/3	3.75	EN 16578 - S3
H920400	LAUFEN LIS CW 400	IBI	CC-121-R-FO-2V-2L	EN 14055 - CL1 - 6 - NLI - VR II	WT - VR - NL - CF - DA	6/3	3.75	EN 16578 - S3
H920401	LAUFEN LIS CW 401	IBI	CC-121-R-FO-2V-2L	EN 14055 - CL1 - 5 - NLI - VR II	WT - VR - NL - CF - DA	6/3	3.75	EN 16578 - S3
H926400	LAUFEN LIS TW400	IBI	CC-121-R-FO-2V-2L	EN 14055 - CL1 - 4.5 - NLI - VR II	WT - VR - NL - CF - DA	6/3	3.75	EN 16578 - S3
H926401	LAUFEN LIS TW401	IBI	CC-121-R-FO-2V-2L	EN 14055 - CL2 - 5.9 - NLI - VR II	WT - VR - NL - CF - DA	6/3	3.75	EN 16578 - S3
H926402	LAUFEN LIS TW402	IBI	CC-121-R-FO-2V-2L	EN 14055 - CL2 - 4.5 - NLI - VR II	WT - VR - NL - CF - DA	6/3	3.75	EN 16578 - S3

Signed for and on behalf of the manufacturer



Joan Pedro Santos
Manufacturing Director