

## DECLARATION OF PERFORMANCE

DoP No 997

1. Unique identification code of the product-type:

**For product number please see attached list**

Product-Type, batch or serial number or any other element allowing identification of the construction product

**WP: Wallhung WC-pan(s) made of sanitary ceramics**  
**WCS: Wallhung close-coupled suite(s) made of sanitary ceramics**  
**PP: Pedestal WC-pan(s) made of sanitary ceramics**  
**PCS: Pedestal close-coupled suite(s) made of sanitary ceramics**  
**PO: Pedestal onepiece WC(s) made of sanitary ceramics**

2. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

**Personal hygiene (PH)**

3. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

**LAUFEN Bathrooms AG**  
**Wahlenstrasse 46**  
**CH - 4242 Laufen, Switzerland**  
**Tel: +41 61 765 71 11 / e-mail: [info@laufen.ch](mailto:info@laufen.ch) / website: [www.laufen.com](http://www.laufen.com)**

4. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

**not applicable**

5. System or systems of assessment and verification of constancy of performance (AVCP) of the construction product as set out in Construction Products Regulation (EU) 305/2011, Annex V:

**System 4**

6. Harmonised standard:

**EN 997: 2012**

7. Declared performance

Essential characteristics	Performance
Capacity of flushing water (CF)	Confirmed
Backflow prevention (BP)	Confirmed
Cleanability (CA)	Confirmed
Load resistance (LR)	Confirmed
Water-, leaktightness (WT)	Confirmed
Valve reliability (VR)	Confirmed
Durability (DA)	Confirmed

**The declared performance of the product is shown in the essential characteristics and in the designation code of the attached list.**

8. Appropriate Technical Documentation and/or Specific Technical Documentation:

**not applicable**

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer



Joan Pedro Santos  
Manufacturing Director

## DECLARATION OF PERFORMANCE

DoP no 997

### EUROPEAN WATER LABEL

### SUSTAINABILITY ASSESSMENT

Product No.		Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume	Matching flushing cistern	Average water consumption	Designation code
H820031		florakids	WP		EN 997 - CL1 - 5A - 5C	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820060	P: H866061	object	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820150	P: H825158	Kompas	WP		EN 997 - CL1 - 5/6A	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S7
H820159	P: H827159 P: H825159	Kompas	WCS	828150	EN 997 - CL1 - 4 - VR11	CF - BP - CA - DA - WT - VR	4/3		3.25	EN 16578 - S4
H820269		object	PCS	826160/2	EN 997 - CL1 - 6 - VR11	CF - BP - CA - DA - WT - VR	6/3		3.75	EN 16578 - S3
H820281		Val	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820281		Val	WP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WL - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820331		Kartell by Laufen	WP	Grohe 38 525 00 1	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820331		Kartell by Laufen	WP		EN 997 - CL1 - 6/5/A	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820333		Kartell by Laufen	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820333		Kartell by Laufen	WP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WL - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820336	P: H860330	Kartell by Laufen	WP	Grohe 38 525 00 1	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820336	P: H860330	Kartell by Laufen	WP		EN 997 - CL1 - 6/5/4A	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820337		Kartell by Laufen	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820337		Kartell by Laufen	WP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WL - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820459		vienna	PCS	826470/2	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3		3.73	EN 16578 - S3
H820459		vienna	PCS	826470/2	EN 997 - CL1 - 5 - VR11	CF - BP - CA - DA - WT - VR	5/3		3.50	EN 16578 - S4
H820470		vienna	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H820540		moderna plus	WP	Geberit 110.300	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H820540		moderna plus	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820541		moderna R	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820542		moderna R	WP		EN 997 - CL1 - 6A	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H820543		moderna R	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820544		moderna R	WP		EN 997 - CL1 - 5/6A	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H820545		moderna R	WCS	826540/1/2	EN 997 - CL1 - 6/5 - VR11	CF - BP - CA - LR - DA - WT - VR	5/3		3.50	EN 16578 - S4
H820547		moderna R	WP		EN 997 - CL1 - 6A	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H820549		moderna R	WCS	826540/1/2	EN 997 - CL1 - 6 - VR11	CF - BP - CA - LR - DA - WT - VR	6/3		3.75	EN 16578 - S3
H820580		vienna	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H820580		vienna	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H820601		navia	WP	894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820601		navia	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820661		hiJet	WP	Grohe 38 525 00 1	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820661		hiJet	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4

P = Pack

Signed for and on behalf of the manufacturer

  
Joan Pedro Santos  
Manufacturing Director

## DECLARATION OF PERFORMANCE

DoP no 997

### EUROPEAN WATER LABEL

### SUSTAINABILITY ASSESSMENT

Product No.		Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume	Matching flushing cistern	Average water consumption	Designation code
H820680		Lb3	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H820680		Lb3	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H820681		Lb3	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H820681		Lb3	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820682		Lb3	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820691		RIVA	WP	894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820691		RIVA	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820700		palace	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H820700		palace	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820701		palace	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820702		palace	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820703		palace	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H820703		palace	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820703		palace	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820703		palace	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H820706	P: 866700	palace	WP		EN 997 - CL1 - 6/5A - 6C	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820706	P: 866700	palace	WP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820801		PALOMBA	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H820801		PALOMBA	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820802	P: H866800	PALOMBA	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820802	P: H866800	PALOMBA	WP		EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820851		New Classic	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820851		New Classic	WP		EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820950	P: H861954 P: H866950	Laufen pro	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H820952	P: H861955 P: H866952	Laufen pro	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H820952	P: H861955 P: H866952	Laufen pro	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H820953		Laufen pro	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H820954		Laufen pro	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H820954		Laufen pro	WP		EN 997 - CL1 - 6A	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H820955		scandia	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H820955		Laufen pro	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H820955		scandia	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3

Signed for and on behalf of the manufacturer

P = Pack

## DECLARATION OF PERFORMANCE

DoP no 997

### EUROPEAN WATER LABEL

### SUSTAINABILITY ASSESSMENT

Product No.		Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume	Matching flushing cistern	Average water consumption	Designation code
H820956	P: H861956 P: H866953	Laufen pro	WP	LAUFEN LIS 894665	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H820956	P: H861956 P: H866953	Laufen pro	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820956	P: H861956 P: H866953	Laufen pro	WP	Grohe 38422 000	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H820958	P: H827968	Laufen pro-n	WP		EN 997 - CL1 - 4A	CF - BP - CA - LR - DA	4/2	LAUFEN LIS 894665	2.50	EN 16578 - S7
H820959		Laufen pro	WP		EN 997 - CL1 5A 6C	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820960	P: H866951	Laufen pro	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820960	P: H866951	Laufen pro	WP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820961		Laufen pro S	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820961		Laufen pro S	WP	Grohe 38 525 00 1	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820962		Laufen pro S	WP	Grohe 38 525 00 1	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820962		Laufen pro S	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820964	P: H861958 P: H866954	Laufen pro	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H820964	P: H861958 P: H866954	Laufen pro	WP		EN 997 - CL1 5/6A	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820965	P: H866955	Laufen pro	WP	Grohe 38 525 00 1	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820965	P: H866955	Laufen pro	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820966	P: H866956 P: H861957 P: H866957	Laufen pro	WP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820966	P: H866956 P: H861957 P: H866957	Laufen pro	WP	Geberit 109.309.00.5	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820966	P: H866956 P: H861957 P: H866957	Laufen pro	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820966	P: H866956 P: H861957 P: H866957	Laufen pro	WP	Valsir VS0853052	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H820971		Il Bagno ALESSI One	WP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820971		Il Bagno ALESSI One	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820976		Il Bagno ALESSI One	WP	Geberit 111.383.00.1	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 894660	3.73	EN 16578 - S3
H820976		Il Bagno ALESSI One	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H821060	P: H866060	object	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 894660	3.73	EN 16578 - S3
H821060		object	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H821100		suprema	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H821370		Dino	WP	LAUFEN LIS 894665	EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 894665	3.75	EN 16578 - S3

Signed for and on behalf of the manufacturer

P = Pack

## DECLARATION OF PERFORMANCE

DoP no 997

### EUROPEAN WATER LABEL

### SUSTAINABILITY ASSESSMENT

Product No.	Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume	Matching flushing cistern	Average water consumption	Designation code
H821374	Dino	WP	LAUFEN LIS 894665	EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 894665	3.75	EN 16578 - S3
H821408	melos	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H821459	vienna	PCS	826470/2	EN 997 - CL1 - 6 - VR11	CF - BP - CA - DA - WT - VR	6/3		3.75	EN 16578 - S3
H821470	libertyline	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H821546	moderna R	WP		EN 997 - CL1 - 6A	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H821580	vienna	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H821580	vienna	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H821601	imola	WCS	826540	EN 997 - CL1 - 6 - VR11	CF - BP - CA - LR - DA - WT - VR	6/3		3.75	EN 16578 - S3
H821630	imola	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H821636	imola	WP	LAUFEN LIS 894665	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H821636	imola	WP		EN 997 - CL1 - 6A	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H821650	suprema	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H821684	Lb3	PP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H821684	Lb3	PP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H821954	Laufen pro	WP	LAUFEN LIS 894665	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	6/3	LAUFEN LIS 894665	3.73	EN 16578 - S4
H821954	Laufen pro	WP		EN 997 - CL1 - 6A	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 894665	3.73	EN 16578 - S4
H821956	Laufen pro	PP		EN 997 - CL1 - 6A	CF - BP - CA - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H821957	Laufen pro	PP		EN 997 - CL1 - 6A	CF - BP - CA - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H821958	Laufen pro	PP		EN 997 - CL1 - 6A	CF - BP - CA - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H821959	Laufen pro	PP		EN 997 - CL1 - 6A	CF - BP - CA - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H821960	Laufen pro Liberty	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H821960	Laufen pro Liberty	WP	Grohe 38 525 00 1	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H821954	Laufen pro Liberty	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H821954	Laufen pro Liberty	WP	LAUFEN LIS 894665	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 894665	3.73	EN 16578 - S3
H821971	ALESSI	PP		EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H821971	ALESSI	PP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H821990	albonova	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H821998	albonova	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H822031	florakids	PP		EN 997 - CL1 - 5A - 5C	CF - BP - CA - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H822036	florakids	PP		EN 997 - CL1 - 5A - 5C	CF - BP - CA - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H822037	florakids	PP		EN 997 - CL1 - 5A - 5C	CF - BP - CA - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H822130	pascha	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H822135	pascha	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3

Signed for and on behalf of the manufacturer

P = Pack

## DECLARATION OF PERFORMANCE

DoP no 997

### EUROPEAN WATER LABEL

### SUSTAINABILITY ASSESSMENT

Product No.	Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume	Matching flushing cistern	Average water consumption	Designation code	
H822951	Laufen pro	PP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3	
H822951	Laufen pro	PP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3	
H822952	Laufen pro	PP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3	
H822952	Laufen pro	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3	
H822956	Laufen pro	PP		EN 997 - CL1 - 5/6A	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4	
H822956	Laufen pro	PP		EN 997 - CL2 - 4.5/5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 894665	3.73	EN 16578 - S4	
H822976	ALESSI	PCS	Geberit 273.331.00.1	EN 997 - CL1 - 5 - VR11	CF - BP - CA - DA - WT - VR	5/3		3.75	EN 16578 - S3	
H822976	ALESSI	PCS	826971	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3		3.73	EN 16578 - S3	
H823000	albonova	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3	
H823008	albonova	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3	
H823050	albonova	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3	
H823058	albonova	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3	
H823060	object	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3	
H823068	object	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3	
H823070	pascha	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3	
H823331	Kartell by Laufen	PP	Grohe 38 525 00 1	EN 997 - CL2 - 4.5	CF - BP - CA - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4	
H823331	Kartell by Laufen	PP		EN 997 - CL1 - 6/5A - 6C	CF - BP - CA - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4	
H823336	Kartell by Laufen	PP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4	
H823336	Kartell by Laufen	PP		EN 997 - CL1 - 6/5A	CF - BP - CA - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4	
H823470	vienna	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3	
H823541	moderna R	PCS	826540/1/2/3	EN 997 - CL1 - 6/5 - VR11	CF - BP - CA - DA - WT - VR	5/3		3.50	EN 16578 - S4	
H823542	moderna R	PCS	826540/1/2/3	EN 997 - CL1 - 6/5 - VR11	CF - BP - CA - DA - WT - VR	5/3		3.50	EN 16578 - S4	
H823701	palace	PP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4	
H823701	palace	PP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3	
H823806	PALOMBA	PP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4	
H823806	PALOMBA	PP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3	
H824150	P: H825090 P: H825091 P: H827090 P: H827091	Kompas E	PCS	828098	EN 997 - CL1 - 4 - VR11	CF - BP - CA - DA - WT - VR	4/3		3.25	EN 16578 - S4
H824150	P: H825150 P: H825151 P: H827150 P: H827151	Kompas	PCS Pack	828150	EN 997 - CL1 - 4 - VR11	CF - BP - CA - DA - WT - VR	4/3		3.25	EN 16578 - S4

Signed for and on behalf of the manufacturer

P = Pack

## DECLARATION OF PERFORMANCE

DoP no 997

### EUROPEAN WATER LABEL

### SUSTAINABILITY ASSESSMENT

Product No.		Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume	Matching flushing cistern	Average water consumption	Designation code
H824151	P: H825152 P: H825153 P: H827152 P: H827153	Kompas	PCS	828150	EN 997 - CL1 - 4 - VRII	CF - BP - CA - DA - WT - VR	4/3		3.25	EN 16578 - S4
H824152	P: H825154 P: H825155 P: H827154 P: H827155	Kompas	PCS	828150	EN 997 - CL1 - 4 - VRII	CF - BP - CA - DA - WT - VR	4/3		3.25	EN 16578 - S4
H824281		Val	PCS	829280/1/2/3/5	EN 997 - CL1 - 6/5/4.5 - VRII	CF - BP - CA - DA - WT - VR	4.5/3		3.38	EN 16578 - S4
H824281		Val	PCS	829280/1/2/3/5	EN 997 - CL2 - 6/4.5	CF - BP - CA - DA - WT - VR	4.5/3		3.38	EN 16578 - S4
H824331		Kartell by Laufen	PCS	829330/1/2/3/5	EN 997 - CL1 - 6/5 - VRII	CF - BP - CA - DA - WT - VR	5/3		3.50	EN 16578 - S4
H824331		Kartell by Laufen	PCS	829330/1/2/3/5	EN 997 - CL2 - 4.5	CF - BP - CA - DA - WT - VR	4.5/3		3.38	EN 16578 - S4
H824541		moderna R	PCS	826540/1/2/3	EN 997 - CL1 - 6/5 - VRII	CF - BP - CA - DA - WT - VR	5/3		3.50	EN 16578 - S4
H824542		moderna R	PCS	826540/1/2/3	EN 997 - CL1 - 6/5 - VRII	CF - BP - CA - DA - WT - VR	5/3		3.50	EN 16578 - S4
H824684		Lb3	PCS	828680/2	EN 997 - CL1 - 5 - VRII	CF - BP - CA - DA - WT - VR	5/3		3.50	EN 16578 - S4
H824684		Lb3	PCS	828680/2	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3		3.73	EN 16578 - S3
H824706		palace	PCS	828700/1/2/3/5	EN 997 - CL1 - 5 - VRII	CF - BP - CA - DA - WT - VR	5/3		3.50	EN 16578 - S4
H824706		palace	PCS	828700/1/2/3/5	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3		3.73	EN 16578 - S3
H820714	P: H866E10	Basal	WP		EN 997 - CL1 - 5A	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S5
H820714	P: H866E10	Basal	WP	LAUFEN LIS 89466x	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S5
H821384	P: H866E11	Basal	WP		EN 997 - CL1 - 5/6A	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S5
H824801		PALOMBA	PCS	828800/1/2/3/5	EN 997 - CL1 - 5 - VRII	CF - BP - CA - DA - WT - VR	4.5/3		3.38	EN 16578 - S4
H824801		PALOMBA	PCS	828800/1/2/3/5	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3		3.73	EN 16578 - S3
H824806		PALOMBA	PCS	828800/1/2/3/5	EN 997 - CL1 - 5 - VRII	CF - BP - CA - DA - WT - VR	4.5/3		3.38	EN 16578 - S4
H824806		PALOMBA	PCS	828800/1/2/3/5	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3		3.73	EN 16578 - S3
H824950	P: H827950 P: H827951 P: H827960 P: H827961	Laufen pro-n	PCS	828955	EN 997 - CL1 - 5 - VRII	CF - BP - CA - DA - WT - VR	5/3		3.50	EN 16578 - S4
H824951	P: H827952 P: H827953 P: H827962 P: H827963	Laufen pro-n	PCS	828955	EN 997 - CL1 - 5 - VRII	CF - BP - CA - DA - WT - VR	5/3		3.50	EN 16578 - S4
H824952	P: H827954 P: H827955 P: H827964 P: H827965	Laufen pro-n	PCS	828955	EN 997 - CL1 - 5 - VRII	CF - BP - CA - DA - WT - VR	5/3		3.50	EN 16578 - S4

Signed for and on behalf of the manufacturer

P = Pack

# LAUFEN

## DECLARATION OF PERFORMANCE

DoP no 997

### EUROPEAN WATER LABEL

### SUSTAINABILITY ASSESSMENT

Product No.		Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume	Matching flushing cistern	Average water consumption	Designation code
H824953	P: H827956 P: H827957 P: H827966 P: H827967	Laufen pro-n	PCS	828955	EN 997 - CL1 - 5 - VRII	CF - BP - CA - DA - WT - VR	5/3		3.50	EN 16578 - S4
H824955		Laufen pro	PCS	826950/1/2/3/5	EN 997 - CL1 - 6 - VRII	CF - BP - CA - DA - WT - VR	6/3		3.75	EN 16578 - S3
H824955		Laufen pro	PCS	826950/1/2/3/5	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3		3.73	EN 16578 - S3
H824956		Laufen pro	PCS	826950/1/2/3/5	EN 997 - CL1 - 6 - VRII	CF - BP - CA - DA - WT - VR	6/3		3.75	EN 16578 - S3
H824956		Laufen pro	PCS	826950/1/2/3/5	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3		3.73	EN 16578 - S3
H824956	P: H861950 P: H867950	Laufen pro	PCS	826950/1/2/3/5	EN 997 - CL1 - 6 - VRII	CF - BP - CA - DA - WT - VR	6/3		3.75	EN 16578 - S3
H824956	P: H861950 P: H867950	Laufen pro	PCS	826950/1/2/3/5	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3		3.73	EN 16578 - S3
H824957	P: H861951 P: H867951	Laufen pro	PCS	826950/1/2/3/5	EN 997 - CL1 - 6 - VRII	CF - BP - CA - DA - WT - VR	6/3		3.75	EN 16578 - S3
H824958		Laufen pro	PCS	826950/1/2/3/5	EN 997 - CL1 - 5 - VRII	CF - BP - CA - DA - WT - VR	5/3		3.50	EN 16578 - S4
H824958		Laufen pro	PCS	826950/1/2/3/5	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3		3.73	EN 16578 - S3
H824959		Laufen pro	PCS	826950/1/2/3/5	EN 997 - CL1 - 6 - VRII	CF - BP - CA - DA - WT - VR	6/3		3.75	EN 16578 - S3
H824960	P: H828966 P: H828967	Laufen pro-n	PCS	828955	EN 997 - CL1 - 4/6 - VRII	CF - BP - CA - DA - WT - VR	4/3		3.25	EN 16578 - S4
H824961	P: H828968 H828969 P:	Laufen pro-n	PCS	828955	EN 997 - CL1 - 4/6 - VRII	CF - BP - CA - DA - WT - VR	4/3		3.25	EN 16578 - S4
H825952	P: H861952 P: H867953	Laufen pro	PCS	829950/1/2/3/5	EN 997 - CL1 - 5 - VRII	CF - BP - CA - DA - WT - VR	5/3		3.50	EN 16578 - S4
H825952	P: H861952 P: H867953	Laufen pro	PCS	829950/1/2/3/5	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3		3.73	EN 16578 - S3
H825955		Laufen pro	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H825956		Laufen pro	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H825957		Laufen pro	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H825962		Laufen pro	PCS	829950/1/2/3/5	EN 997 - CL1 - 6/5 - VRII	CF - BP - CA - DA - WT - VR	5/3		3.50	EN 16578 - S4
H825962		Laufen pro	PCS	829950/1/2/3/5	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3		3.73	EN 16578 - S3
H825964		Laufen pro	PCS	829950/1/2/3/5	EN 997 - CL1 - 6/5 - VRII	CF - BP - CA - DA - WT - VR	5/3		3.50	EN 16578 - S4
H825964		Laufen pro	PCS	829950/1/2/3/5	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3		3.73	EN 16578 - S3
H824086		Lua	PCS	827081/2/3/5	EN 997 - CL1 - 6/5 - VRII	CF - BP - CA - DA - WT - VR	5/3		3.50	EN 16578 - S4
H824086		Lua	PCS	827081/2/3/5	EN 997 - CL2 - 4.5	CF - BP - CA - DA - WT - VR	4.5/3		3.38	EN 16578 - S4
H824087		Lua	PCS	827081/2/3/5	EN 997 - CL1 - 6/5 - VRII	CF - BP - CA - DA - WT - VR	5/3		3.50	EN 16578 - S4
H824087		Lua	PCS	827081/2/3/5	EN 997 - CL2 - 4.5	CF - BP - CA - DA - WT - VR	4.5/3		3.38	EN 16578 - S4

Signed for and on behalf of the manufacturer

P = Pack



## DECLARATION OF PERFORMANCE

DoP no 997

### EUROPEAN WATER LABEL

### SUSTAINABILITY ASSESSMENT

Product No.		Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume	Matching flushing cistern	Average water consumption	Designation code
H821966	P: H866956 P: H861957 P: H866957	Laufen pro	WP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H821966	P: H866956 P: H861957 P: H866957	Laufen pro	WP	Geberit 109.309.00.5	EN 997 - CL2 - 4.5	CF - BP - CA - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H821966	P: H866956 P: H861957 P: H866957	Laufen pro	WP		EN 997 - CL1 - 4/5/6A	CF - BP - CA - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
A342ND3000	P: H827361 P: H825361	Rigo	PCS	828361	EN 997 - CL1 - 4 - VRII	CF - BP - CA - DA - WT - VR	4/3		3.25	EN 16578 - S4
A342ND0000	P: H827362 P: H825362	Rigo	PCS	828361	EN 997 - CL1 - 4 - VRII	CF - BP - CA - DA - WT - VR	4/3		3.25	EN 16578 - S4
A342ND1000	P: H827360 P: H825360	Rigo	PCS	828361	EN 997 - CL1 - 4 - VRII	CF - BP - CA - DA - WT - VR	4/3		3.25	EN 16578 - S4

*P = Pack*

Signed for and on behalf of the manufacturer



Joan Pedro Santos  
Manufacturing Director